ANNUAL INDEX

References to Technical Papers Published in Journal of Petroleum Technology and Society of Petroleum Engineers Journal during 1963.

A

ABRASIVE JETTING: some theoretical and experimental results, SPEJ June, 101

ACOUSTIC VELOCITY LOGGING: application of character logs in formation evaluation, JPT June, 659
information used in predicting efficiency of a perforator down-hole, JPT July, 761

ADDITIVES: filter-loss: evaluation under dynamic conditions, JPT Jan., 90

ADSORBERS: fixed-bed: dynamic behavior, JPT Apr., 443

ADSORPTION: mechanism: adsorption of lignosulfonates on clay suspensions, SPEJ Sept., 267

ALEXANDER, J. D. et al: *Discussion on Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 135

ALGER, R. P., et al: *Formation Density Log Applications in Liquid-Filled Holes*, JPT Mar., 321

ALGERMISSEN, S. T. and BARDSLEY, S. R.: *Evaluating Oil Shale by Log Analysis*, JPT Jan., 81

ANISOTROPIC RESERVOIRS: effect of stress on permeability of sandstone cores, SPEJ June, 95

ANNULUS: concentric: laminar flow of non-Newtonian fluids, SPEJ Dec., 274
single- and two-phase fluid flow in small conduits, JPT Mar., 309

ARNOLD, C. W., et al: *Dynamic Behavior of Fixed-Bed Adsorbers*, JPT Apr., 443

AUTOMATION: field processing, gathering and transporting sour natural gas at high pressures from Pine Creek, Alberta, JPT May, 539

B

BAILEY, H. R. and GOGARTY, W. B.: *Diffusion Coefficients from Capillary Flow*, SPEJ Sept., 256

BANDERA SANDSTONE: *See* Kansas

BARDSLEY, S. R. and ALGERMISSEN, S. T.: *Evaluating Oil Shale by Log Analysis*, JPT Jan., 81

BARTLETT, L. E. and PERKINS, T. K., Jr.: *Surface Energies of Rocks Measured During Cleavage*, SPEJ Dec., 307

BAVARIA: Solenhofen limestone: identation experiments under pressure, JPT Sept., 1031

BAY MARCHAND FIELD: *See* Louisiana

BECKER, H. W., et al: *Field Processing, Gathering and Transporting Sour Natural Gas at High Pressures From Pine Creek, Alberta*, JPT May, 539

BEDFORD LIMESTONE: *See* Indiana

BENHAM, A. L. and OLSON, R. W.: *A Model Study of Viscous Fingering*, SPEJ June, 138

BENTONITIC SANDS: salt cement for, JPT Feb., 187

BEREA SANDSTONE: *See* Ohio

BERGAMINI, G.: *The Effect of Stress on Permeability of Sandstone Cores*, SPEJ June, 95

BERRY, R. F., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301

BITS: drill: rock-bit tooth analysis, SPEJ Dec., 327
simulation of percussion drilling in laboratory by indexed-blow studies, SPEJ Sept., 214

BIXEL, H. C., et al: *Effect of Linear Discontinuities on Pressure Build-Up and Drawdown Behavior*, JPT Aug., 885

BLACKWELL, R. J. and POZZI, A. L.: *Design of Laboratory Models for Study of Miscible Displacement*, SPEJ Mar., 28

BLAIR, P. M. and PEACEMAN, D. W.: *An Experimental Verification of a Two-Dimensional Technique for Computing Performance of Gas-Drive Reservoirs*, SPEJ Mar., 19

BOREHOLES: mechanics of static and dynamic filtration within, SPEJ Sept., 236

BOTTOM-HOLE PRESSURE: determination of formation characteristics from two-rate flow tests, JPT Dec., 1347

BOUNDED RESERVOIR: region of circular discontinuity: solutions to diffusion equation, SPEJ June, 113
study of forward combustion in a radial system, JPT Oct., 1145: discussion, Dec., 1370

BROWN, K. E. and FANCHER, G. H., Jr.: *Prediction of Pressure Gradients for Multiphase Flow in Tubing*, SPEJ Mar., 59

BROWN, R. W., et al: *Factors Influencing Optimum Ball Sealer Performance*, JPT Apr., 450

BUILD-UP CURVES: behavior in naturally fractured reservoirs, SPEJ Sept., 245
pressure: variable-rate case, JPT July, 790
use with well interference for early quantitative determination of reserves, permeability and water influx, JPT Oct., 1127

BUILD-UP TESTS: effect of linear discontinuities on pressure behavior, JPT Aug., 885

BURDINE, N. T.: *Rock Failure Under Dynamic Loading Conditions*, SPEJ Mar., 1

BURDYN, R. F., et al: *Scaling Pumping Requirements—Inelastic Fluids in Turbulent Flow and Inelastic/Elastic Fluids In Laminar Flow*, SPEJ Sept., 197

C

CAMPBELL, J. M. and SATTER, A.: *Non-Ideal Behavior of Gases and Their Mixtures*, SPEJ Dec., 333

CAMPBELL, J. M. and WAHL, H. A.: *Sand Movement in Horizontal Fractures*, JPT Nov., 1239

CANADA: Pine Creek field, Alberta: field processing, gathering and transporting sour natural gas at high pressures, JPT May, 539
Windfall field, Alberta: field processing, gathering and transporting sour natural gas at high pressures, JPT May, 539

CAPILLARY FLOW: diffusion coefficients from, SPEJ Sept., 256

CAPILLARY PRESSURE: curves: technique for determination of using a constantly accelerated centrifuge, SPEJ Sept., 227

CARBON DIOXIDE: physical properties of carbonated oils, JPT Aug., 873
repressuring: study of vaporization of crude oil by, JPT Nov., 1247

CARTER, R. D., et al: *Determination of Stabilized Gas Well Performance from Short Flow Tests*, JPT June, 651

CASING: study of variables with cement bond log, JPT May, 545

CEMENT: salt: for shale and bentonitic sands, JPT Feb., 187
study of variables with cement bond log, JPT May, 545: discussion, 555

CEMENT-BOND LOGGING: applications in formation evaluation, JPT June, 659
study of cement and casing variables, JPT May, 545

ANNUAL INDEX

References to Technical Papers Published in Journal of Petroleum Technology and Society of Petroleum Engineers Journal during 1963.

A

ABRASIVE JETTING: some theoretical and experimental results, SPEJ June, 101

ACOUSTIC VELOCITY LOGGING: application of character logs in formation evaluation, JPT June, 659
information used in predicting efficiency of a perforator down-hole, JPT July, 761

ADDITIVES: filter-loss: evaluation under dynamic conditions, JPT Jan., 90

ADSORBERS: fixed-bed: dynamic behavior, JPT Apr., 443

ADSORPTION: mechanism: adsorption of lignosulfonates on clay suspensions, SPEJ Sept., 267

ALEXANDER, J. D. et al: *Discussion on Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 135

ALGER, R. P., et al: *Formation Density Log Applications in Liquid-Filled Holes*, JPT Mar., 321

ALGERMISSEN, S. T. and BARDSLEY, S. R.: *Evaluating Oil Shale by Log Analysis*, JPT Jan., 81

ANISOTROPIC RESERVOIRS: effect of stress on permeability of sandstone cores, SPEJ June, 95

ANNULUS: concentric: laminar flow of non-Newtonian fluids, SPEJ Dec., 274
single- and two-phase fluid flow in small conduits, JPT Mar., 309

ARNOLD, C. W., et al: *Dynamic Behavior of Fixed-Bed Adsorbers*, JPT Apr., 443

AUTOMATION: field processing, gathering and transporting sour natural gas at high pressures from Pine Creek, Alberta, JPT May, 539

B

BAILEY, H. R. and GOGARTY, W. B.: *Diffusion Coefficients from Capillary Flow*, SPEJ Sept., 256

BANDERA SANDSTONE: *See* Kansas

BARDSLEY, S. R. and ALGERMISSEN, S. T.: *Evaluating Oil Shale by Log Analysis*, JPT Jan., 81

BARTLETT, L. E. and PERKINS, T. K., Jr.: *Surface Energies of Rocks Measured During Cleavage*, SPEJ Dec., 307

BAVARIA: Solenhofen limestone: identation experiments under pressure, JPT Sept., 1031

BAY MARCHAND FIELD: *See* Louisiana

BECKER, H. W., et al: *Field Processing, Gathering and Transporting Sour Natural Gas at High Pressures From Pine Creek, Alberta*, JPT May, 539

BEDFORD LIMESTONE: *See* Indiana

BENHAM, A. L. and OLSON, R. W.: *A Model Study of Viscous Fingering*, SPEJ June, 138

BENTONITIC SANDS: salt cement for, JPT Feb., 187

BEREA SANDSTONE: *See* Ohio

BERGAMINI, G.: *The Effect of Stress on Permeability of Sandstone Cores*, SPEJ June, 95

BERRY, R. F., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301

BITS: drill: rock-bit tooth analysis, SPEJ Dec., 327
simulation of percussion drilling in laboratory by indexed-blow studies, SPEJ Sept., 214

BIXEL, H. C., et al: *Effect of Linear Discontinuities on Pressure Build-Up and Drawdown Behavior*, JPT Aug., 885

BLACKWELL, R. J. and POZZI, A. L.: *Design of Laboratory Models for Study of Miscible Displacement*, SPEJ Mar., 28

BLAIR, P. M. and PEACEMAN, D. W.: *An Experimental Verification of a Two-Dimensional Technique for Computing Performance of Gas-Drive Reservoirs*, SPEJ Mar., 19

BOREHOLES: mechanics of static and dynamic filtration within, SPEJ Sept., 236

BOTTOM-HOLE PRESSURE: determination of formation characteristics from two-rate flow tests, JPT Dec., 1347

BOUNDED RESERVOIR: region of circular discontinuity: solutions to diffusion equation, SPEJ June, 113
study of forward combustion in a radial system, JPT Oct., 1145: discussion, Dec., 1370

BROWN, K. E. and FANCHER, G. H., Jr.: *Prediction of Pressure Gradients for Multiphase Flow in Tubing*, SPEJ Mar., 59

BROWN, R. W., et al: *Factors Influencing Optimum Ball Sealer Performance*, JPT Apr., 450

BUILD-UP CURVES: behavior in naturally fractured reservoirs, SPEJ Sept., 245
pressure: variable-rate case, JPT July, 790
use with well interference for early quantitative determination of reserves, permeability and water influx, JPT Oct., 1127

BUILD-UP TESTS: effect of linear discontinuities on pressure behavior, JPT Aug., 885

BURDINE, N. T.: *Rock Failure Under Dynamic Loading Conditions*, SPEJ Mar., 1

BURDYN, R. F., et al: *Scaling Pumping Requirements—Inelastic Fluids in Turbulent Flow and Inelastic/Elastic Fluids In Laminar Flow*, SPEJ Sept., 197

C

CAMPBELL, J. M. and SATTER, A.: *Non-Ideal Behavior of Gases and Their Mixtures*, SPEJ Dec., 333

CAMPBELL, J. M. and WAHL, H. A.: *Sand Movement in Horizontal Fractures*, JPT Nov., 1239

CANADA: Pine Creek field, Alberta: field processing, gathering and transporting sour natural gas at high pressures, JPT May, 539
Windfall field, Alberta: field processing, gathering and transporting sour natural gas at high pressures, JPT May, 539

CAPILLARY FLOW: diffusion coefficients from, SPEJ Sept., 256

CAPILLARY PRESSURE: curves: technique for determination of using a constantly accelerated centrifuge, SPEJ Sept., 227

CARBON DIOXIDE: physical properties of carbonated oils, JPT Aug., 873
repressuring: study of vaporization of crude oil by, JPT Nov., 1247

CARTER, R. D., et al: *Determination of Stabilized Gas Well Performance from Short Flow Tests*, JPT June, 651

CASING: study of variables with cement bond log, JPT May, 545

CEMENT: salt: for shale and bentonitic sands, JPT Feb., 187
study of variables with cement bond log, JPT May, 545: discussion, 555

CEMENT-BOND LOGGING: applications in formation evaluation, JPT June, 659
study of cement and casing variables, JPT May, 545

CENTRIFUGE: constantly accelerated: technique for determination of capillary pressure curves, SPEJ Sept., 227
CHARACTER LOGS: acoustic: application in formation evaluation, JPT June, 659
CHEATHAM, J. B., JR.: *Rock-Bit Tooth Friction Analysis*, SPEJ Dec., 327
CHEATHAM, J. B., JR. and GNIRK, P. F.: *Indentation Experiments on Dry Rocks Under Pressure*, JPT Sept., 1031
CHEATHAM, J. B., JR. and PASLAY P. R.: *Rock Stresses Induced by Flow of Fluids into Boreholes*, SPEJ Mar., 85
CHU, C.: *Two-Dimensional Analysis of a Radial Heat Wave*, JPT Oct., 1137
CLARK, G. C., et al: *A Compositional Material Balance for Combination Drive Reservoirs with Gas and Water Injection*, JPT Nov., 1233
CLAY: rheological measurements on suspensions at high temperatures and pressures, JPT July, 779
suspensions: mechanism of adsorption of lignosulfonates, SPEJ Sept., 267
CLAY, R. R., et al.: *Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 127; discussion, 135
COATS, K. H.: *Optimum Location of Trunklines in Oil and Gas Fields*, JPT Sept., 1019
COMBUSTION DRIVE: *See* Thermal Recovery of Oil
COMPLETION PRACTICE: *See also* Well Completion
COMPOSITION: mineral: determination of more accurate value in complex lithologies with use of sonic, neutron and density surveys, (Tech. Art.) JPT Sept., 945
COMPRESSIBILITY FACTOR: non-ideal behavior of gases and their mixtures, SPEJ Dec., 333
COMPUTERS: Datatron 204: scaling pumping requirements—inelastic fluids in turbulent flow and inelastic/elastic fluids in laminar flow, SPEJ Sept., 197
IBM 704: oil recovery from watered-out statified porous systems using water-driven solvent slugs, JPT June, 643
IBM 709: evaluation of scale-up laws for two-phase flow through porous media, SPEJ June, 164
IBM 7090: calculated behavior of dissolved-gas-drive systems, SPEJ Mar., 41
non-ideal behavior of gases and their mixtures, SPEJ Dec., 333
CONDENSATES: aspects of gas deliverability, JPT June, 668; discussion, Oct., 1150
CONDUITS: *See* Tubing
CONDUCTIVITY: thermal: heat transfer perpendicular to fluid flow in porous rocks, SPEJ Sept., 185
CORE ANALYSIS: capillary pressure curves: technique for determination of, using a constantly accelerated centrifuge, SPEJ Sept., 227
CORES: sandstone: effect of stress on permeability, SPEJ June, 95
CORRELATIONS: absolute rate of adsorption, dynamic behavior of fixed-bed adsorbers, JPT Apr., 443
for critical pressure of gas-solvent-reservoir oil systems, JPT May, 556
friction factor vs mass flow rate: prediction of pressure gradients for multiphase flow in tubing, SPEJ Mar., 59
in intermittent gas lift, JPT Mar., 301
pressure gradients: for single- and two-phase fluid flow in small vertical conduits including annular configurations, JPT Mar., 309
vertical sweep efficiency: resulting from laboratory model study of miscible displacement, SPEJ Mar., 28
COUCH, E. J. and SELIG, F.: *Discussion on A Study of Forward Combustion in a Radial System Bounded by Permeable Media*, JPT Dec., 1370
COUETTE FLOW: differentiation method in rheology, SPEJ Mar., 14
COUNTRYMAN, G. R., et al: *Miscible Displacement in a Multiphase System*, SPEJ Sept., 189
CRANE, F. E., et al: *Some Experiments on the Flow of Miscible Fluids of Unequal Density Through Porous Media*, SPEJ Dec., 277
CRATER FORMATION: experimental study in limestone at elevated pressures, JPT Dec., 1356
CRITICAL PROPERTIES: cricondentherm and cricondenbar temperatures of multicomponent hydrocarbon mixtures, SPEJ Dec., 287
CRUDE OIL: study of vaporization by carbon dioxide repressuring, JPT Nov., 1247
CSASZAR, A. K. and HOLM, L. W.: *Oil Recovery from Watered-Out Stratified Porous Systems Using Water-Driven Solvent Slugs*, JPT June, 643

D

DALTON, R. L., et al: *Experimental and Calculated Behavior of Dissolved-Gas-Drive Systems*, SPEJ Mar., 41
DAVIS, R. C., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301
DEAN, H. A.: *A Mathematical Model for Dispersion in the Direction of Flow in Porous Media*, SPEJ Mar., 49
DELIVERABILITY: gas: aspects of, JPT June, 668; discussion, Oct., 1150
DENSITY LOGGING: applications in liquid-filled holes, JPT Mar., 321
DESIGN: of fractures in liquid-saturated reservoirs, JPT Apr., 437
DEUGAU, A. V., et al: *Field Processing, Gathering and Transporting Sour Natural Gas at High Pressures From Pine Creek, Alberta*, JPT May, 539
DEW, J. N., et al: *Discussion on Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 135
DIFFERENTIATION METHOD: rheology: analysis in Couette-type flow, SPEJ Mar., 14
characteristic derivatives of ideal models in Couette flow, SPEJ June, 177
DIFFUSION BEHAVIOR: coefficients from capillary flow, SPEJ Sept., 256
porous media: review, SPEJ Mar., 70
solutions to equation for region bounded by circular discontinuity, SPEJ June, 113
transverse: effect on fingering in miscible-phase displacement, SPEJ Mar., 9
DIFFUSIVITY: equation: use in pressure build-up analysis, variable-rate case, JPT July, 790
DISPERSION: diffusion coefficients from capillary flow, SPEJ Sept., 256
in direction of flow in porous media: mathematical model, SPEJ Mar., 49
porous media: review, SPEJ Mar., 70
DISPLACEMENT MECHANISM: *See also* Immiscible and Miscible Displacement
of oil using partially miscible gas-solvent systems, JPT Feb., 195
DISSOLVED-GAS DRIVE: *See* Solution-Gas Drive
DOUGHERTY, E. L.: *Mathematical Models of an Unstable Miscible Displacement*, SPEJ June, 155
DRANOFF, J. S., et al: *Heat Transfer Perpendicular to Fluid Flow In Porous Rocks*, SPEJ Sept., 185
DRAWDOWN TESTS: effect of linear discontinuities on pressure behavior, JPT Aug., 885
reservoir reserve, JPT Mar., 333
DRILLING: air: rock stresses induced by flow of fluids into boreholes, SPEJ Mar., 85
experimental study of crater formation in limestone at elevated pressures, JPT Dec., 1356
experimental study of crater formation in plastically deforming synthetic rocks, JPT Sept., 1025
indentation experiments on dry rocks under pressure, JPT Sept., 1031
offshore: application of numerical methods to some structural problems, JPT Sept., 1040
percussion: simulation in laboratory by indexed-blow studies, SPEJ Sept., 214
rock: energy balance, SPEJ Dec., 298
failure under dynamic loading conditions, SPEJ Mar., 1
rock-bit tooth friction analysis, SPEJ Dec., 327
DRILLING FLUIDS: evaluation of filter-loss additives under dynamic conditions, JPT Jan., 90
mechanism of adsorption of lignosulfonates on clay suspensions, SPEJ Sept., 267
mechanics of static and dynamic filtration in the borehole, SPEJ Sept., 236
rheological measurements at high temperatures and pressures, JPT July, 779

DRILL-STEM TESTS: pressure build-up analysis, variable-rate-case, JPT July, 790

DRISCOLL, V. J.: *Use of Well Interference and Build-up Data for Early Quantitative Determination of Reserves, Permeability and Water Influx*, JPT Oct., 1127

DRIVER UNIT: *See* Texas

DUNLOP, D. D. and WELKER, J. R.: *Physical Properties of Carbonated Oils*, JPT Aug., 873

E

EAKIN, B. E. and ELLINGTON, R. T.: *Predicting the Viscosity of Pure Light Hydrocarbons*, JPT Feb., 210

EFFICIENCY: prediction for perforator down-hole based on acoustic logging information, JPT July, 761

ELKINS, L. F. and SKOV, A. M.: *Cyclic Water Flooding the Spraberry Utilizes "End Effects" to Increase Oil Production Rate*, JPT Aug., 877

ELLINGTON, R. T. and EAKIN, B. E.: *Predicting the Viscosity of Pure Light Hydrocarbons*, JPT Feb., 210

ENERGY: balance in rock drilling, SPEJ Dec., 298
rock surface: measured during cleavage, SPEJ Dec., 307

EQUIPMENT: ball sealer: factors influencing performance, JPT Apr., 450
perforator down-hole: prediction of efficiency based on acoustic logging information, JPT July, 761
sucker rods: predicting behavior in pumping systems, JPT July, 769

EQUIVALENT DIAMETERS: fluid flow through small annular conduits, JPT Mar., 309

EVALUATION: cement and casing variable in cement bond logging, JPT May, 545
drilling-fluid filter-loss additives under dynamic conditions, JPT Jan., 90
oil shale by log analysis, JPT Jan., 81

F

FANCHER, G. H., JR. and BROWN, K. E.: *Prediction of Pressure Gradients for Multiphase Flow in Tubing*, SPEJ Mar., 59

FATT, I., et al: *Miscible Displacement in a Multiphase System*, SPEJ Sept., 189
The Effect of Stress on Permeability of Sandstone Cores, SPEJ June, 95

FIELD CASE HISTORY: *See also* Field Tests
Pine Creek and Windfall fields, Alberta, Canada: field processing, gathering and transporting sour natural gas at high pressures, JPT May, 539
Spraberry: cyclic water flooding utilizes "end effects" to increase oil production rate, JPT Aug., 877

FIELD TESTS: determination of formation characteristics from two-rate flow tests, JPT Dec., 1347
formation density log applications in liquid-filled holes, JPT Mar., 321
prediction of pressure gradients for multiphase flow in tubing, SPEJ Mar., 59
reservoir reserves, JPT Mar., 333
salt cement for shale and bentonitic sands, JPT Feb., 187

FILTRATION: loss: evaluation of drilling-fluid additives under dynamic conditions, JPT Jan., 90
static and dynamic: mechanics within the borehole, SPEJ Sept., 236

FINGERING: miscible-phase displacement: effect of transverse diffusion, SPEJ Mar., 9
results of experiments on flow of miscible fluid of unequal density through porous media, SPEJ Dec., 277
viscous: method of predicting performance of unstable miscible displacement in heterogeneous media, SPEJ June, 145
model study, SPEJ June, 138

FLOW TESTS: short: determination of stabilized gas well performances, JPT June, 651

FLUID FLOW: analytical concept of static and dynamic parameters of intermittent gas lift, JPT Mar., 301
behavior of naturally fractured reservoirs, SPEJ Sept., 245
Couette: characteristic derivatives of ideal models—the differentiation method in rheology, SPEJ June, 177
differentiation method in rheology, SPEJ Mar., 14
design of laboratory models for study of miscible displacement, SPEJ Mar., 28
determination of formation characteristics from two-rate flow tests, JPT Dec., 1347
diffusion coefficients from capillary flow, SPEJ Sept., 256
effect of transverse diffusion on fingering in miscible-phase displacement, SPEJ Mar., 9
experimental and calculated behavior of dissolved-gas-drive systems, SPEJ Mar., 41
experimental verification of two-dimensional technique for computing performance of gas-drive reservoirs, SPEJ Mar., 19
experiments on water coning control, SPEJ Dec., 314
laminar: non-Newtonian fluids in concentric annuli, SPEJ Dec., 274
loss: fracture design in liquid-saturated reservoirs, JPT Apr., 437
mathematical model: dispersion in porous media, SPEJ Mar., 49
unstable miscible displacement, SPEJ June, 155
mechanics of static and dynamic filtration in the borehole, SPEJ Sept., 236
method for predicting performance of unstable miscible displacement in heterogeneous media, SPEJ June, 145
miscible displacement in a multiphase system, SPEJ Sept., 189
model study of viscous fingering, SPEJ June, 138
multiphase: prediction of pressure gradients in tubing, SPEJ Mar., 59
oil and gas: effect of vertical fractures on reservoir behavior, JPT Oct., 1119
oil displacement using partially miscible gas-solvent systems, JPT Feb., 195
porous rocks: heat transfer perpendicular to, SPEJ Sept., 185
predicting the viscosity of pure light hydrocarbons, JPT Feb., 210
radial, two phase: analysis of pressure transients, SPEJ June, 116
review of diffusion and dispersion in porous media, SPEJ Mar., 70
rock stresses induced by flow of fluids into boreholes, SPEJ Mar., 85
scaling pumping requirements: inelastic fluids in turbulent flow and inelastic/elastic fluids in laminar flow, SPEJ Sept., 197
single- and two-phase: in small vertical conduits including annular configuration, JPT Mar., 309
solutions to diffusion equation for region bounded by circular discontinuity, SPEJ June, 113
two-phase, through porous media: evaluation of scale-up laws, SPEJ June, 164
unified theory for stable and unstable miscible displacement, SPEJ Sept., 205

FLUID INJECTION: *See also* Gas and LPG Injection and Water Flooding
optimum location of trunklines in oil and gas fields, JPT Sept., 1019

FLUID PROPERTIES: cricondentherm and cricondenbar temperatures of multicomponent hydrocarbon mixtures, SPEJ Dec., 287
gases and their mixtures: non-ideal behavior, SPEJ Dec., 333
water content of sour hydrocarbon systems, SPEJ Dec., 293

FORMATION EVALUATION: application of acoustic character logs, JPT June, 659
density log applications in liquid-filled holes, JPT Mar., 321
determination from two-rate flow tests, JPT Dec., 1347
evaluating oil shale by log analysis, JPT Jan., 81

FORMATION FRACTURES: behavior of naturally fractured reservoirs, SPEJ Sept., 245
design in liquid-saturated reservoirs, JPT Apr., 437
effects of existing fractures in rocks on extension of hydraulic fractures, JPT Feb., 203
factors influencing optimum ball sealer performance, JPT Apr., 450
horizontal: sand movement in, JPT Nov., 1239
vertical: effect on reservoir behavior—results on oil and gas flow, JPT Oct., 1119
effect on transient pressure behavior of wells, JPT Dec., 1365

FORMATION FRACTURING: hydraulic jetting—some theoretical and experimental results, SPEJ June, 101

FOSTER, W. R., et al: *The Differentiation Method in Rheology: III. Couette Flow*, SPEJ Mar., 14
The Differentiation Method in Rheology: IV. Characteristic Derivatives of Ideal Models in Couette Flow, SPEJ June, 177

FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures and Formation Fracturing

FRANCIS, R. J., et al: *A Compositional Material Balance for Combination Drive Reservoirs with Gas and Water Injection*, JPT Nov., 1233

FRICTION: pressure drops: scaling pumping requirements—inelastic fluids in turbulent flow and inelastic/elastic fluids in laminar flow, SPEJ Sept., 197
rock-bit tooth analysis, SPEJ Dec., 327

FRYE, C. C., et al: *Field Processing, Gathering and Transporting Sour Natural Gas at High Pressures From Pine Creek, Alberta*, JPT May, 539

G

GAITHER, O. D., et al: *Single- and Two-Phase Fluid Flow in Small Vertical Conduits Including Annular Configurations*, JPT Mar., 309

GARDNER, G. H. F., et al: *Some Experiments on the Flow of Miscible Fluids of Unequal Density Through Porous Media*, SPEJ Dec., 277

GARNER, N. E., et al: *Experimental Study of Crater Formation in Limestone at Elevated Pressures*, JPT Dec., 1356

GARNER, N. E. and GATLIN, C.: *Experimental Study of Crater Formation in Plastically Deforming Synthetic Rocks*, JPT Sept., 1025

GAS CONDENSATE: *See* Condensates

GAS FIELDS: optimum location of trunklines, JPT Sept., 1019

GAS INJECTION: compositional material balance for combination *in Limestone at Elevated Pressures*, JPT Nov., 1233
critical pressure correlation for gas-solvent-reservoir oil systems, JPT May, 556

GAS LIFT: intermittent: an analytical concept of static and dynamic parameters, JPT Mar., 301

GAS RESERVOIRS: aspects of gas deliverability, JPT June, 668

GAS WELLS: determination of stabilized performance from short flow tests, JPT June, 651
testing: reservoir limits, JPT Mar., 333

GAS-CAP DRIVE: compositional material balance for combination drive reservoirs with gas and water injection, JPT Nov., 1233

GATHERING SYSTEM: sour natural gas at high pressures from Pine Creek, Alberta, JPT May, 539

GATLIN, C., et al: *Experimental Study of Crater Formation in Limestone at Elevated Pressures*, JPT Dec., 1356

GATLIN, C. and GARNER, N. E.: *Experimental Study of Crater Formation in Plastically Deforming Synthetic Rocks*, JPT Sept., 1025

GIBBS, S. G.: *Predicting the Behavior of Sucker-Rod Pumping Systems*, JPT July, 769

GNIRK, P. F. and CHEATHAM, J. B., JR.: *Indentation Experiments on Dry Rocks Under Pressure*, JPT Sept., 1031

GOGARTY, W. B. and BAILEY, H. R.: *Diffusion Coefficients from Capillary Flow*, SPEJ Sept., 256

GOLLWITZER, L. H., et al: *Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 545; discussion, 555

GOODSON, W. C., et al: *Aspects of Gas Deliverability*, JPT June, 668; discussion, Oct., 1150

GRAY, D. H., et al: *The Effect of Stress on Permeability of Sandstone Cores*, SPEJ June, 95

GREEN RIVER FORMATION: *See* Utah

GREENE, H. W., et al: *Experimental and Calculated Behavior of Dissolved-Gas-Drive Systems*, SPEJ Mar., 41

GREENKORN, R. A., et al: *A Variable-Rate Procedure for Appraising Wellbore Damage in Waterflood Input Wells*, JPT Jan., 85

GRIEVES, R. B. and THODOS, G.: *The Cricondentherm and Cricondenbar Temperatures of Multicomponent Hydrocarbon Mixtures*, SPEJ Dec., 287

H

HANDY, L. L.: *Oil Displacement Using Partially Miscible Gas-Solvent Systems*, JPT Feb., 195

HARRISON, N. H., et al: *Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 127; discussion, 135

HARTMAN, H. L.: *The Simulation of Percussion Drilling in the Laboratory By Indexed-Blow Studies*, SPEJ Sept., 214

HARTSOCK, J. H. and WARREN, J. E.: *Discussion on Aspects of Gas Deliverability*, JPT Oct., 1150

HAVLENA, D. and ODEH, A. S.: *The Material Balance as an Equation of a Straight Line*, JPT Aug., 896

HEAT FLOW: two-dimensional analysis of a radial heat wave, JPT Oct., 1137

HEAT TRANSFER: porous rocks: perpendicular to fluid flow, SPEJ Sept., 185

HILLER, K. H.: *Rheological Measurements on Clay Suspensions and Drilling Fluids at High Temperatures and Pressures*, JPT July, 779

HOFFMAN, R. N.: *A Technique for the Determination of Capillary Pressure Curves Using a Constantly Accelerated Centrifuge*, SPEJ Sept., 227

HOFFMAN, A. E., et al: *Dynamic Behavior of Fixed-Bed Adsorbers*, JPT Apr., 443

HOLLAND, W. E. and MORGAN, B. E.: *Discussion on Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 555

HOLM, L. W. and CSASZAR, A. K.: *Oil Recovery from Watered-Out Stratified Porous Systems Using Water-Driven Solvent Slugs*, JPT June, 643

HOYLE, W. R., et al: *Formation Density Log Applications in Liquid-Filled Holes*, JPT Mar., 321

HUGOTON FIELD: *See* Kansas

HUITT, J. L., et al: *Hydraulic Jetting—Some Theoretical and Experimental Results*, SPEJ June, 101

HURST, W., et al: *Aspects of Gas Deliverability*, JPT June, 668; discussion, Oct., 1150

HYDRAULIC JETTING: *See* Abrasive Jetting

HYDROCARBONS: pure light: predicting the viscosity, JPT Feb., 210

I

IMBIBITION: cyclic water flooding Spraberry utilizes "end effects" to increase oil production rate, JPT Aug., 877

IMMISCIBLE DISPLACEMENT: numerical solution for incompressible two-phase flow systems in two dimensions, SPEJ June, 164

INDIANA: Bedford limestone: simulation of percussion drilling in laboratory by indexed-blow studies, SPEJ Sept., 214

INJECTION: *See* Gas and LPG Injection and Water Flooding

INJECTION WELLS: water flooding: variable-rate procedure for appraising wellbore damage, JPT Jan., 85

IN SITU COMBUSTION: *See* Thermal Recovery of Oil

INTERFERENCE TESTS: use with build-up data for early quantitative determination of reserves, permeability and water influx, JPT Oct., 1127

INTERMITTENT FLOW: analytical concept of static and dynamic parameters of gas lift, JPT Mar., 301

INTERPRETATION: formation density log in liquid-filled holes, JPT Mar., 321

J

JAMES, D. M. and MARTIN, J. C.: *Analysis of Pressure Transients in Two-Phase Radial Flow*, SPEJ June, 116

JESSEN, F. W. and JOHNSON, C. A.: *The Mechanism of Ab-*

sorption of Lignosulfonates on Clay Suspension, SPEJ Sept., 267

JESSEN, F. W. and LAMONT, N.: *The Effects of Existing Fractures in Rocks on the Extension of Hydraulic Fractures*, JPT Feb., 203

JETTING: hydraulic: some theoretical and experimental results, SPEJ June, 101

JOHNSON, C. A. and JESSEN, F. W.: *The Mechanism of Absportion of Lignosulfonates, on Clay Suspensions*, SPEJ Sept., 267

JOHNSON, C. R. et al: *A Variable-Rate Procedure for Appraising Wellbore Damage in Waterflood Input Wells*, JPT Jan., 85

JOHNSTON, O. C. and PERKINS, T. K.: *A Review of Diffusion and Dispersion in Porous Media*, SPEJ Mar., 70

JONES, L. G.: *Reservoir Reserve Tests*, JPT Mar., 333

K

KANSAS: Bandera sandstone: indentation experiments under pressure, JPT Sept., 1031
Hugoton field: aspects of gas deliverability, JPT June, 668; discussion, Oct., 1150

KENDALL, H. A., et al: *Some Experiments on the Flow of Miscible Fluids of Unequal Density Through Porous Media*, SPEJ Dec., 277

K-FACTOR METHOD: method for predicting performance of unstable miscible displacement in heterogeneous media, SPEJ June, 145

KIRKPATRICK, C. V., et al: *Single- and Two-Phase Fluid Flow in Small Vertical Conduits Including Annular Configurations*, JPT Mar., 309

KNOX BROMIDE FIELD: *See* Oklahoma

KOVAL, E. J.: *A Method for Predicting the Performance of Unstable Miscible Displacement in Heterogeneous Media*, SPEJ June, 145

KRUEGER, R. F.: *Evaluation of Drilling-Fluid Filter-Loss Additives Under Dynamic Conditions*, JPT Jan., 90

KYTE, J. R., et al: *Experimental and Calculated Behavior of Dissolved-Gas-Drive Systems*, SPEJ Mar., 41

L

LABORATORY STUDIES: combustion-drive tests, SPEJ Mar., 53
construction of models that simulate oil reservoirs, SPEJ Dec., 281
crater formation: in limestone at elevated pressures, JPT Dec., 1356
in plastically deforming synthetic rocks, JPT Sept., 1025
design of models for study of miscible displacement, SPEJ Mar., 28
diffusion coefficients from capillary flow, SPEJ Sept., 256
diffusion, transverse: effect on fingering in miscible-phase displacement, SPEJ Mar., 9
effect of stress on permeability of sandstone cores, SPEJ June, 95
effects of existing fractures in rocks on extension of hydraulic fractures, JPT Feb., 203
evaluation of scale-up laws for two-phase flow through porous media, SPEJ June, 164
experimental and calculated behavior of dissolved-drive systems, SPEJ Mar., 41
experimental verification of two-dimensional technique for computing performance of gas-drive reservoirs, SPEJ Mar., 19
experiments on water coning control, SPEJ Dec., 314
flow of miscible fluids of unequal density through porous media, SPEJ Dec., 277
heat transfer perpendicular to fluid flow in porous rocks, SPEJ Sept., 185
indentation experiments on dry rocks under pressure, JPT Sept., 1031
method for predicting performance of unstable miscible displacement in heterogeneous media, SPEJ June, 145
model study of viscous fingering, SPEJ June, 138
oil displacement using partially miscible gas-solvent systems, JPT Feb., 195
oil recovery from watered-out stratified porous systems using water-driven solvent slugs, JPT June, 643
rock failure under dynamic loading conditions, SPEJ Mar., 1
sand movements in horizontal fractures, JPT Nov., 1239
simulation of percussion drilling by indexed-blow studies, SPEJ Sept., 214
some effects of pressure on forward and reverse combustion, SPEJ June, 127; discussion, 135
some theoretical and experimental results of hydraulic jetting, SPEJ June, 101
surface energies of rocks measured during cleavage, SPEJ Dec., 307
technique for determination of capillary pressure curves using a constantly accelerated centrifuge, SPEJ Sept., 227
vaporization of crude oil by carbon dioxide repressuring, JPT Nov., 1247
water content of sour hydrocarbon systems, SPEJ Dec., 293

LAMONT, N. and JESSEN, F. W.: *The Effects of Existing Fractures in Rocks on the Extension of Hydraulic Fractures*, JPT Feb., 203

LARKIN, B. K.: *Solutions to the Diffusion Equation for a Region Bounded By a Circular Discontinuity*, SPEJ June, 113

LARKIN, B. K., et al: *Effect of Linear Discontinuities on Pressure Build-Up and Drawdown Behavior*, JPT Aug., 885

LEESER, R. E., et al: *Aspects of Gas Deliverability*, JPT June, 668; discussion, Oct., 1150

LEUDERS LIMESTONE: *See* Texas

LEVINE, J. S. and PRATS, M.: *Effect of Vertical Fractures on Reservoir Behavior—Results on Oil and Gas Flow*, JPT Oct., 1119

LIGNOSULFONATES: mechanism of adsorption on clay suspensions, SPEJ Sept., 267

LOHRENZ, J., et al: *A Compositional Material Balance for Combination Drive Reservoirs With Gas and Water Injection*, JPT Nov., 1233

LOPER, R. G., et al: *Factors Influencing Optimum Ball Sealer Performance*, JPT Apr., 450

LOWE, D. K., et al: *Hydraulic Jetting—Some Theoretical and Experimental Results*, SPEJ June, 101

LUKACS, J. and ROBINSON, D. B.: *Water Content of Sour Hydrocarbon Systems*, SPEJ Dec., 293

M

MARKS, D. E., et al: *Dynamic Behavior of Fixed-Bed Adsorbers*, JPT Apr., 443

MARTIN, J. C. and JAMES, D. M.: *Analysis of Pressure Transients in Two-Phase Radial Flow*, SPEJ June, 116

MARTIN, W. L., et al: *Discussion on Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 135

MASUDA, A., et al: *Field Processing, Gathering and Transporting Sour Natural Gas at High Pressures From Pine Creek, Alberta*, JPT May, 539

MATERIAL BALANCE: as an equation of a straight line, JPT Aug., 896
compositional: for combination drive reservoirs with gas and water injection, JPT Nov., 1233
from flowing gas wells, JPT Mar., 333

MATLOCK, H.: *Application of Numerical Methods to Some Structural Problems in Offshore Operations*, JPT Sept., 1040

MEASUREMENTS: rheological: on clay suspensions and drilling fluids at high temperatures and pressures, JPT July, 779

MENZIE, D. E. and NIELSEN, R. F.: *A Study of the Vaporization of Crude Oil by Carbon Dioxide Repressuring*, JPT Nov., 1247

METTAWEE SLATE: *See* Vermont

MILLER, S. C., JR., et al: *Determination of Stabilized Gas Well Performance from Short Flow Tests*, JPT June, 651

MISCIBLE DISPLACEMENT: effect of transverse diffusion on fingering, SPEJ Mar., 9
mathematical model for dispersion in direction of flow in porous media, SPEJ Mar., 49

model study of viscous fingering, SPEJ June, 138
multiphase system, SPEJ Sept., 189
oil displacement using partially miscible gas-solvent systems, JPT Feb., 195
review of diffusion and dispersion in porous media, SPEJ Mar., 70
some experiments on flow of fluids of unequal density through porous media, SPEJ Dec., 277
stable and unstable: a unified theory, SPEJ Sept., 205
study of design of laboratory models, SPEJ Mar., 28
unstable, liquid-liquid: mathematical model, SPEJ June, 155
unstable: method for predicting performance in heterogeneous media, SPEJ June, 145

MIXING: degree of: in unstable miscible displacement as indicated by mathematical model, SPEJ June, 155

MIXTURES: gases: non-ideal behavior, SPEJ Dec., 333
multicomponent hydrocarbon: cricondentherm and cricondenbar temperatures, SPEJ Dec., 287

MOBILITY RATIO: experiments on flow of miscible fluids of unequal density through porous media, SPEJ Dec., 277
in model study of viscous fingering, SPEJ June, 138

MODELS: consolidated and unconsolidated packs: construction that simulates oil reservoirs, SPEJ Dec., 281
Hele-Shaw: study of viscous fingering, SPEJ June, 138
heterogeneous: behavior of naturally fractured reservoirs, SPEJ Sept., 245
ideal: characteristic derivatives in Couette flow—the differentiation method in rheology, SPEJ June, 177
ideal, mathematical: unified equations for stable and unstable miscible displacement, SPEJ Sept., 205
mathematical: dispersion in the direction of flow in porous media, SPEJ Mar., 49
study of dynamic behavior of fixed-bed adsorbers, JPT Apr., 443
study of forward combustion in a radial system bounded by permeable media, JPT Oct., 1145; discussion, Dec., 1370
two-dimensional analysis of a radial heat wave, JPT Oct., 1137
unstable miscible displacement, SPEJ June, 155
radial: experiments on water coning control, SPEJ Dec., 314
rock: effects of existing fractures in rocks on extension of hydraulic fractures, JPT Feb., 203
plastically deforming synthetic types; experimental study of crater formation, JPT Sept., 1025
sand packed: study of oil recovery from watered-out stratified porous systems using water-driven solvent slugs, JPT June, 643
sand packed, flow: experimental behavior of dissolved-gas-drive systems, SPEJ Mar., 41
experimental verification of two-dimensional technique for computing performance of gas-drive reservoirs, SPEJ Mar., 19
sand-packed cell: combustion-drive tests, SPEJ Mar., 53
scaled: design for study of miscible displacement, SPEJ Mar., 28
evaluation of scale-up laws for two-phase flow through porous media, SPEJ June, 164
visual flow cell: sand movement in horizontal fractures, JPT Nov., 1239
X-ray shadowgraph: effect of transverse diffusion on fingering in miscible-phase displacement, SPEJ Mar., 9

MORAN, J. H., et al: *Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 545; discussion, 555

MORGAN, B. E. and HOLLAND, W. E.: *Discussion on Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 555

MORRIS, R. L., et al: *Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 545; discussion, 555

N

NATURAL GAS: reservior reserve tests, JPT Mar., 333
sour: field processing, gathering and transporting at high pressures from Pine Creek, Alberta, JPT May, 539

NAUMANN, V. O., et al: *Experimental and Calculated Behavior of Dissolved-Gas-Drive Systems*, SPEJ Mar., 41

NEILL, G. H., et al: *Factors Influencing Optimum Ball Sealer Performance*, JPT Apr., 450

NIELSEN, R. F. and MENZIE, D. E.: *A Study of the Vaporization of Crude Oil by Carbon Dioxide Repressuring*, JPT Nov., 1247

NIELSEN, R. L. and TEK, M. R.: *Evaluation of Scale-Up Laws for Two-Phase Flow Through Porous Media*, SPEJ June, 164

NOMOGRAPH: for quantitative interpretation of cement bond log, JPT May, 545; discussion, 555

NON-NEWTONIAN SYSTEMS: differentiation method in rheological analysis for Couette-type flow, SPEJ Mar., 14
laminar flow in concentric annuli, SPEJ Dec., 274

NUMERICAL SOLUTION: application to some structural problems in offshore operations, JPT Sept., 1040

O

O'CONNELL, B. T., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301

ODEH, A. S. and HAVLENA, D.: *The Material Balance as an Equation of a Straight Line*, JPT Aug., 896

ODEH, A. S. and SELIG, F.: *Pressure Build-Up Analysis, Variable-Rate Case*, JPT July, 790

OFFSHORE DRILLING: application of numerical methods to some structural problems, JPT Sept., 1040

OHIO: Berea sandstone: indentation experiments under pressure, JPT Sept., 1031

OIL FIELDS: optimum location of trunklines, JPT Sept., 1019

OIL PRODUCTION: rate increased by utilizing "end effects" in cyclic water flooding the Spraberry, JPT Aug., 877

OIL RECOVERY: combustion-drive tests, SPEJ Mar., 53
some effects of pressure on forward and reverse combustion, SPEJ June, 127; discussion, 135
using partially miscible gas-solvent systems, JPT Feb., 195
watered-out stratified porous systems using water-driven solvent slugs, JPT June, 643

OIL RESERVOIRS: construction of simulating models, SPEJ Dec., 281

OIL SHALE: evaluating by log analysis, JPT Jan., 81

OKLAHOMA: Knox Bromide field: aspects of gas deliverability, JPT June, 668; discussion, Oct., 1150

OLSON, R. W. and BENHAM, A. L.: *A Model Study of Viscous Fingering*, SPEJ June, 138

OUTMANS, H. D.: *Mechanics of Static and Dynamic Filtration In the Borehole*, SPEJ Sept., 236

P

PARDUE, G. H. et al: *Cement Bond Log—A Study of Cement and Casing Variables*, JPT May, 545; discussion, 555

PASLAY, P. R. and CHEATHAM, J. B., JR.: *Rock Stresses Induced by Flow of Fluids into Boreholes*, SPEJ Mar., 85

PEACEMAN, D. W. and BLAIR, P. M.: *An Experimental Verification of a Two-Dimensional Technique for Computing Performance of Gas-Drive Reservoirs*, SPEJ Mar., 19

PEKAREK, J. L., et al: *Hydraulic Jetting—Some Theoretical and Experimental Results*, SPEJ June, 101

PERFORATING: prediction of efficiency of down-hole equipment based on acoustic logging information, JPT July, 761

PERFORATION SEALER: ball: factors in influencing optimum performance, JPT Apr., 450

PERFORMANCE PREDICTIONS: aspects of gas deliverability, JPT June, 668; discussion, Oct., 1150
efficiency of perforator down-hole based on acoustic logging information, JPT July, 761
gas-drive reservoirs: experimental verification of two-dimensional computing technique, SPEJ Mar., 19

material balance as an equation of a straight line, JPT Aug., 896
method for unstable miscible displacement in heterogeneous media, SPEJ June, 145
stabilized gas well: determination from short flow tests, JPT June, 651
sucker-rod pumping systems, JPT July, 769

PERKINS, T. K., JR. and BARTLETT, L. E.: *Surface Energies of Rocks Measured During Cleavage*, SPEJ Dec., 307

PERKINS, T. K., JR. and JOHNSON, O. C.: *A Review of Diffusion and Dispersion in Porous Media*, SPEJ Mar., 70

PERMEABILITY: anisotropic: effect of stress, sandstone cores, SPEJ June, 95
stratified: oil recovery from watered-out porous systems using water-driven solvent slugs, JPT June, 643

PERRINE, R. L.: *A Unified Theory for Stable and Unstable Miscible Displacement*, SPEJ Sept., 205

PICKETT, G. R.: *Acoustic Character Logs and Their Applications in Formation Evaluation*, JPT June, 659

PILOT FLOODS: Spraberry: cyclic water flooding utilizes "end effect" to increase oil production rate, JPT Aug., 877

PILOT STUDY: dynamic behavior of fixed-bed adsorbers, JPT Apr., 443

PINE CREEK FIELD: *See* Canada

PIPE: trunklines: optimum location in oil and gas fields, JPT Sept., 1019

PIPELINES: launching in deep-water drilling operations, JPT Sept., 1040

PIRSON, S. J. and SMITH, C. R.: *Experiments on Water Coning Control*, SPEJ Dec., 314

PODIO, A., et al: *Experimental Study of Crater Formation in Limestone at Elevated Pressures*, JPT Dec., 1356

PORE SIZE DISTRIBUTION: multiphase system: miscible displacement in, SPEJ Sept., 189

POROUS MEDIA: behavior of naturally fractured reservoirs, SPEJ Sept., 245
construction of models that simulate oil reservoirs, SPEJ Dec., 281
effects of existing fractures in rocks on extension of hydraulic fractures, JPT Feb., 203
energy balance in rock drilling, SPEJ Dec., 298
evaluation of scale-up laws for two-phase flow, SPEJ June, 164
flow of miscible fluids of unequal density, some experiments, SPEJ Dec., 277
heat transfer perpendicular to fluid flow, SPEJ Sept., 185
heterogeneous: method for predicting performance of unstable miscible displacement, SPEJ June, 145
indentation experiments under pressure, JPT Sept., 1031
mathematical model for dispersion in the direction of flow, SPEJ Mar., 49
oil recovery from watered-out stratified systems using water-driven solvent slugs, JPT June, 643
review of diffusion and dispersion, SPEJ Mar., 70
rock-bit tooth friction analysis, SPEJ Dec., 327
simulation of percussion drilling in laboratory by indexed-blow studies, SPEJ Sept., 214
solutions to diffusion equation for region bounded by circular discontinuity, SPEJ June, 113
study of forward combustion in radial system, JPT Oct., 1145; discussion, Dec., 1370
surface energies of rocks measured during cleavage, SPEJ Dec., 307
technique for determination of capillary pressure curves using a constantly accelerated centrifuge, SPEJ Sept., 227
unified theory of stable and unstable miscible displacement, SPEJ Sept., 205

POZZI, A. L. and BLACKWELL, R. J.: *Design of Laboratory Models for Study of Miscible Displacement*, SPEJ Mar., 28

PRATS, M. and LEVINE, J. S.: *Effect of Vertical Fractures on Reservoir Behavior—Results on Oil and Gas Flow*, JPT Oct., 1119

PRESSURE BEHAVIOR: build-up and drawdown: effect of linear discontinuities, JPT Aug., 885
determination of formation characteristics from two-rate flow tests, JPT Dec., 1347
effect of overburden on permeability of sandstone cores, SPEJ June, 95
experimental study of crater formation in limestone at elevated pressures, JPT Dec., 1356
some effects on forward and reverse combustion, SPEJ June, 127; discussion, 135
transient: effect of vertical fractures at wells, JPT Dec., 1365

PRESSURE BUILD-UP ANALYSIS: variable-rate case, JPT July, 790

PRESSURE GRADIENTS: prediction for multiphase flow in tubing, SPEJ Mar., 59

PRESSURE MAINTENANCE: *See* Gas and LPG Injection, Miscible Displacement, and Water Flooding

PRESSURE TRANSIENTS: analysis in two-phase radial flow, SPEJ June, 116
studies in miscible displacement in multiphase system, SPEJ Sept., 189
use for reserve determination, JPT Oct., 1127

PROCESSING: field: sour natural gas at high pressures from Pine Creek, Alberta, JPT May, 539

PRODUCTION OPERATIONS: predicting behavior of sucker-rod pumping systems, JPT July, 769

PROPANE SLUG: water-driven solvent type: oil recovery from watered-out stratified porous systems, JPT June, 643

PROPERTIES: critical pressure: correlation for gas-solvent-reservoir oil systems, JPT May, 556
physical: carbonated oils, JPT Aug., 873
predicting viscosity for pure light hydrocarbons, JPT Feb., 210

PUMPING: predicting the behavior of sucker-rod systems, JPT July, 769

R

RAYMER, L. L., JR., et al: *Formation Density Log Applications in Liquid-Filled Holes*, JPT Mar., 321

REED, D. W., et al: *Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 127; discussion, 135

REED, R. L., et al: *Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 127; discussion, 135

RESERVES: gas: reservoir tests, JPT Mar., 333
use of well interference and build-up data for early quantitative determination, JPT Oct., 1127

RESERVOIR CHARACTERISTICS: rock failure under dynamic loading conditions, SPEJ Mar., 1

RESERVOIR ANALYSIS: effect of vertical fractures on oil and gas flow, JPT Oct., 1119

RESERVOIR FLUIDS: gas-solvent-reservoir oil systems: critical pressure correlation, JPT May, 556

RESERVOIR LIMIT TESTS: gas, JPT Mar., 333

RESERVOIR ROCK: *See also* Porous Media

RESERVOIR ROCKS: effects of existing fractures in rocks on extension of hydraulic fractures, JPT Feb., 203
failure under dynamic loading conditions, SPEJ Mar., 1
stresses induced by flow of fluids into boreholes, SPEJ Mar., 85
synthetic: experimental study of crater formation, JPT Sept., 1025

RESERVOIRS: *See also* the various types, such as, Gas-Cap Drive, etc.

RESERVOIRS: gas and saturated and undersaturated oil: applying material balance as equation of straight line, JPT Aug., 896

REVERSE COMBUSTION: *See* Thermal Recovery of Oil

RHEOLOGY: differentiation method: characteristic derivatives of ideal models in Couette flow, SPEJ June, 177
Couette flow, SPEJ Mar., 14
measurements on clay suspensions and drilling fluids at

high temperatures and pressures, JPT July, 779

RIDINGS, R. L., et al: *Experimental and Calculated Behavior of Dissolved-Gas-Drive Systems*, SPEJ Mar., 41

RILEY, H. G., et al: *Determination of Stabilized Gas Well Performance from Short Flow Tests*, JPT June, 651

ROBINSON, D. B. and LUKACS, J.: *Water Content of Sour Hydrocarbon Systems*, SPEJ Dec., 293

ROBINSON, R. J., et al: *Dynamic Behavior of Fixed-Bed Adsorbers*, JPT Apr., 443

ROCK PROPERTIES: surface energies measured during cleavage, SPEJ Dec., 307

ROOT, P. J. and WARREN, J. E.: *The Behavior of Naturally Fractured Reservoirs*, SPEJ Sept., 245

RUSSELL, D. G.: *Determination of Formation Characteristics From Two-Rate Flow Tests*, JPT Dec., 1347

S

SAND: movement in horizontal fractures, JPT Nov., 1239

SANDSTONES: effect of stress on permeability of cores, SPEJ June, 95

SALT CEMENT: for shale and bentonitic sands, JPT Feb., 187

SATTER, A. and CAMPBELL, J. M.: *Non-Ideal Behavior of Gases and Their Mixtures*, SPEJ Dec., 333

SATURATION DISTRIBUTION: during miscible displacement in multiphase system, SPEJ Sept., 189

SAVINS, J. G., et al: *Scaling Pumping Requirements—Inelastic Fluids in Turbulent Flow and Inelastic/Elastic Fluids In Laminar Flow*, SPEJ Sept., 197

The Differentiation Method in Rheology: III. Couette Flow, SPEJ Mar., 14

The Differentiation Method in Rheology: IV. Characteristic Derivatives of Ideal Models in Couette Flow, SPEJ June, 177

SCALING: evaluation for two-phase flow through porous media, SPEJ June, 164

experiments on water coning control, SPEJ Dec., 314

models used in experimental study of crater formation in plastically deforming synthetic rocks, JPT Sept., 1025

pumping requirements: inelastic fluids in turbulent flow and inelastic/elastic fluids in laminar flow, SPEJ Sept., 197

SCOTT, J. O.: *The Effect of Vertical Fractures on Transient Pressure Behavior of Wells*, JPT Dec., 1365

SECONDARY RECOVERY: *See* Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil, and Water Flooding

SELIG, F. and COUCH, E. J.: *Discussion on A Study of Forward Combustion in a Radial System Bounded by Permeable Media*, JPT Dec., 1370

SELIG, F. and ODEH, A. S.: *Pressure Build-Up Analysis, Variable-Rate Case*, JPT July, 790

SHOWALTER, W. E.: *Combustion-Drive Tests*, SPEJ Mar., 53

SIMON, R.: *Energy Balance in Rock Drilling*, SPEJ Dec., 298

SIMON, R. and YARBOROUGH, L.: *A Critical Pressure Correlation for Gas-Solvent-Reservoir Oil Systems*, JPT May, 556

SKOV, A. M. and ELKINS, L. F.: *Cyclic Water Flooding the Spraberry Utilizes "End Effects" to Increase Oil Production Rate*, JPT Aug., 877

SLAGLE, K. A. and SMITH, D. K.: *Salt Cement for Shale and Bentonitic Sands*, JPT Feb., 187

SLOBOD, R. L. and THOMAS, R. A.: *Effect of Transverse Diffusion on Fingering in Miscible-Phase Displacement*, SPEJ Mar., 9

SLUG PROCESS: *See* Miscible Displacement

SMITH, C. R. and PIRSON, S. J.: *Experiments on Water Coning Control*, SPEJ Dec., 314

SMITH, D. K. and SLAGLE, K. A.: *Salt Cement for Shale and Bentonitic Sands*, JPT Feb., 187

SMITH, J. H., et al: *Heat Transfer Perpendicular to Fluid Flow In Porous Rocks*, SPEJ Sept., 185

SODIUM CHLORIDE: use in cement for shales and bentonitic sands, JPT Feb., 187

SOLENHOFEN LIMESTONE: *See* Bavaria

SOLID-LIQUID FLOW: sand movement in horizontal fractures, JPT Nov., 1239

SOLUBILITY: carbonated oils, JPT Aug., 873

SOLUTION-GAS DRIVE: compositional material balance for combination drive reservoirs with gas and water injection, JPT Nov., 1233

effect of vertical fractures on oil and gas flow, JPT Oct., 1119

experimental and calculated behavior of systems, SPEJ Mar., 41

experimental verification of two-dimensional technique for computing reservoir performance, SPEJ Mar., 19

SOLVENT FLOODING: oil displacement using partially miscible gas-solvent systems, JPT Feb., 195

water-driven slugs: oil recovery from watered-out stratified porous systems, JPT June, 643

SONIC LOGGING: *See* Acoustic Velocity Logging

SOUR GAS: water content of hydrocarbon systems, SPEJ Dec., 293

SPRABERRY FIELD: *See* Texas

STACHA, L. A., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301

STRAIGHT-LINE METHOD: applied to material balance equation, JPT Aug., 896

STRATIFICATION: *See* Permeability, stratified

STRESSES: effect on permeability of sandstone cores, SPEJ June, 95

SUCKER RODS: predicting behavior in pumping systems, JPT July, 769

SWEEP EFFICIENCY: in model study of viscous fingering, SPEJ June, 138

T

TEK, M. R. and NIELSEN, R. L.: *Evaluation of Scale-Up Laws for Two-Phase Flow Through Porous Media*, SPEJ June, 164

TEMPERATURES: cricondentherm and cricondenbar of multicomponent hydrocarbon mixtures, SPEJ Dec., 287

TESTING: determination of stabilized gas well performance from short flow tests, JPT June, 651

effect of linear discontinuities on pressure build-up and drawdown behavior, JPT Aug., 885

pressure build-up analysis, variable-rate case, JPT July, 790

TEXAS: Leuders limestone: experimental study of crater formation at elevated pressures, JPT Dec., 1356

West, Permian Basin: Spraberry field, Driver unit: cyclic water flood utilizes "end effect" to increase oil production rate, JPT Aug., 877

THERMAL PROPERTIES: conductivity: heat transfer perpendicular to fluid flow in porous rocks, SPEJ Sept., 185

THERMAL RECOVERY OF OIL: combustion-drive tests, SPEJ Mar., 53

some effects of pressure on forward and reverse combustion, SPEJ June, 127; discussion, 135

study of forward combustion in a radial system bounded by permeable media, JPT Oct., 1145; discussion, Dec., 1370

two-dimensional analysis of a radial heat wave, JPT Oct., 1137

THODOS, G. and GRIEVES, R. B.: *The Cricondentherm and Cricondenbar Temperatures of Multicomponent Hydrocarbon Mixtures*, SPEJ Dec., 287

THOMAS, G. H., et al: *Miscible Displacement in a Multiphase System*, SPEJ Sept., 189

THOMAS, G. W.: *A Study of Forward Combustion in a Radial System Bounded by Permeable Media*, JPT Oct., 1145; discussion, Dec., 1370

THOMAS, R. A. and SLOBOD, R. L.: *Effect of Transverse Diffusion on Fingering in Miscible-Phase Displacement*, SPEJ Mar., 9

TIXIER, M. P., et al: *Formation Density Log Applications in Liquid-Filled Holes*, JPT Mar., 321

TRANSIENT FLOW: effect of linear discontinuities on pressure build-up and drawdown behavior, JPT Aug., 885

TRANSIENTS: pressure: analysis in two-phase radial flow, SPEJ June, 116
effect of vertical fractures, JPT Dec., 1365

TRANSITION ZONES: experimental verification of two-dimensional technique for computing performance of gas-drive reservoirs, SPEJ Mar., 19
experiments on flow of miscible fluids of unequal density through porous media, SPEJ Dec., 277

TRUNKLINES: optimum location in oil and gas fields, JPT Sept., 1019

TUBING: prediction of pressure gradients for multiphase flow, SPEJ Mar., 59
small: single- and two-phase fluid flow in vertical conduits including annular configurations, JPT Mar., 309

U

UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil

UNDERSATURATED RESERVOIRS: applying material balance as equation of straight line, JPT Aug., 896

UTAH: Green River formation: evaluating oil shale by log analysis, JPT Jan., 81

V

VALUATION: *See* Evaluation

VAN POOLLEN, H. K., et al: *Effect of Linear Discontinuities on Pressure Build-Up and Drawdown Behavior*, JPT Aug., 885

VAUGHN, R. D.: *Laminar Flow of Non-Newtonian Fluids in Concentric Annuli*, SPEJ Dec., 274

VELOCITY LOGGING: *See* Acoustic Velocity Logging

VENGHIATTIS, A. A.: *Prediction of the Efficiency of a Perforator Down-Hole Based on Acoustic Logging Information*, JPT July, 761

VERMONT: Mettawee slate: indentation experiments under pressure, JPT Sept., 1031

VIRGINIA: Virginia greenstone: indentation experiments under pressure, JPT Sept., 1031

VIRGINIA GREENSTONE: *See* Virginia

VISCOMETER: rheological measurements on clay suspensions and drilling fluids at high temperatures and pressures, JPT July, 779

VISCOSITY: carbonated oils, JPT Aug., 873
predicting values for pure light hydrocarbons, JPT Feb., 210

VISCOSITY RATIO: 1:1 to 17:1 utilized in unified theory for stable and unstable miscible displacement, SPEJ Sept., 205

VOLUMETRIC BEHAVIOR: study of vaporization of crude oil by carbon dioxide repressuring, JPT Nov., 1247

W

WAHL, H. A.: *Fracture Design in Liquid-Saturated Reservoirs*, JPT Apr., 437

WAHL, H. A. and CAMPBELL, J. M.: *Sand Movement in Horizontal Fractures*, JPT Nov., 1239

WALLICK, G. C., et al: *Scaling Pumping Requirements—Inelastic Fluids in Turbulent Flow and Inelastic/Elastic Fluids In Laminar Flow*, SPEJ Sept., 197
The Differentiation Method in Rheology: III. Couette Flow, SPEJ Mar., 14
The Differentiation Method in Rheology: IV. Characteristic Derivatives of Ideal Models in Couette Flow, SPEJ June, 177

WARREN, J. E. and HARTSOCK, J. H.: *Discussion on Aspects of Gas Deliverability*, JPT Oct., 1150

WARREN, J. E. and ROOT, P. J.: *The Behavior of Naturally Fractured Reservoirs*, SPEJ Sept., 245

WATER: content: sour hydrocarbon systems, SPEJ Dec., 293

WATER CONING: experiments on control, SPEJ Dec., 314

WATER DRIVE: applying material balance as equation of straight line, JPT Aug., 896
compositional material balance for combination drive reservoirs with gas and water injection, JPT Nov., 1233

WATER FLOODING: compositional material balance for combination drive reservoirs with gas and water injection, JPT Nov., 1233
cyclic: Spraberry utilizes "end effect" to increase oil production rate, JPT Aug., 877
oil recovery from watered-out stratified porous systems using water-driven solvent slugs, JPT June, 643
variable-rate procedure for appraising wellbore damage in input wells, JPT Jan., 85

WATER INFLUX: use of well interference and build-up data for early quantitative determination, JPT Oct., 1127

WATER INJECTION: *See* Water Flooding

WELKER, J. R. and DUNLOP, D. D.: *Physical Properties of Carbonated Oils*, JPT Aug., 873

WELL COMPLETION: *See also* Well Stimulation
hydraulic jetting—some theoretical and experimental results, SPEJ June, 101
prediction of efficiency of perforator down-hole based on acoustic logging information, JPT July, 761
salt cement for shale and bentonitic sands, JPT Feb., 187

WELL INTERFERENCE: use with build-up data for early quantitative determination of reserves, permeability and water influx, JPT Oct., 1129

WELL LOGGING: acoustic character logs and their applications in formation evaluation, JPT June, 659
acoustic velocity: information used in predicting efficiency of perforator down-hole, JPT July, 761
cement bond log: study of cement and casing variables, JPT May, 545; discussion, 555
evaluating oil shale by log analysis, JPT Jan., 81
formation density: applications in liquid-filled holes, JPT Mar., 321

WELL PERFORMANCE: *See also* Wellbore Mechanics
aspects of gas deliverability, JPT June, 668; discussion, Oct., 1150
determination of formation characteristics from two-rate flow tests, JPT Dec., 1347
effect of vertical fractures on transient pressure behavior, JPT Dec., 1365
gas: determination of stabilized performance from short flow tests, JPT June, 651

WELL STIMULATION: factors influencing optimum ball sealer performance, JPT Apr., 450

WELLBORE MECHANICS: laminar flow of non-Newtonian fluids in concentric annuli, SPEJ Dec., 274
variable-rate procedure for appraising damage in waterflood input wells, JPT Jan., 85

WHITE, G. W., et al: *An Analytical Concept of the Static and Dynamic Parameters of Intermittent Gas Lift*, JPT Mar., 301

WIDNER, G. W., et al: *A Variable-Rate Procedure for Appraising Wellbore Damage in Waterflood Input Wells*, JPT Jan., 85

WILLHITE, G. D., et al: *Heat Transfer Perpendicular to Fluid Flow in Porous Rocks*, SPEJ Sept., 185

WILSON, L. A., et al: *Some Effects of Pressure on Forward and Reverse Combustion*, SPEJ June, 127; discussion, 135

WINDFALL FIELD: *See* Canada

WINKLER, H. W., et al: *Single- and Two-Phase Fluid Flow in Small Vertical Conduits Including Annular Configurations*, JPT Mar., 309

WYGAL, R. J.: *On The Construction of Models That Simulate Oil Reservoirs*, SPEJ Dec., 281

Y

YARBOROUGH, L. and SIMON, R.: *A Critical Pressure Correlation for Gas-Solvent-Reservoir Oil Systems*, JPT May, 556

Editor's Note: For economy of space, the abbreviation "SPEJ" is used in this index. The official abbreviation for the publication is "Soc. Pet. Eng. Jour." and we urge that it be used in references instead of this more abbreviated form.